

Aseptic Technique Observation

Task List	F Assessed fully competent; No further action	P Partially compliant; needs additional development	N Non-compliant	NA Not Applicable	[F] % Total	[P] % Total	[N] % Total	[NA] % Total
Aseptic Technique - Process Safety and Quality Assurance Practices Amy Wiley 4	22	0	0	0	100%	0%	0%	0%
Aseptic Technique - Process Safety and Quality Assurance Practices Ashley Wagers 6	22	0	0	0	100%	0%	0%	0%
Aseptic Technique - Process Safety and Quality Assurance Practices Hannah Shult 7	22	0	0	0	100%	0%	0%	0%
Aseptic Technique - Process Safety and Quality Assurance Practices Hunter Gorsage 5	22	0	0	0	100%	0%	0%	0%
Aseptic Technique - Process Safety and Quality Assurance Practices John Stavropoulos 1	20	2	0	0	91%	9%	0%	0%
Aseptic Technique - Process Safety and Quality Assurance Practices Julian Sepulveda 3	22	0	0	0	100%	0%	0%	0%
Aseptic Technique - Process Safety and Quality Assurance Practices Ngoc Tam Spencer 2	22	0	0	0	100%	0%	0%	0%



Aseptic Technique Observation

Status / Answer	Total
F Assessed fully competent; No further action	22
P Partially compliant; needs additional development	0
N Non-compliant	0
NA Not Applicable	0

Location	Department	Task List
Geary Community Hospital	Pharmacy	Aseptic Technique - Process Safety and Quality Assurance Practices Amy Wiley 4

Task Name	Status / Answer	Comments	Answer Date and Time	Submitted By
Does not touch syringe tip/plunger/barrel of the syringe at any time during the IV preparation	F Assessed fully competent; No further action		Sep 10, 2024 1:25:55 PM CDT	brianhcs@icloud.com
Perform aseptic hand cleansing	F Assessed fully competent; No further action		Sep 10, 2024 1:26:16 PM CDT	brianhcs@icloud.com
Does not interrupt/impede/divert flow of first-air to critical sites.	F Assessed fully competent; No further action		Sep 10, 2024 1:25:20 PM CDT	brianhcs@icloud.com
Affixes needles to syringes without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 1:25:44 PM CDT	brianhcs@icloud.com
Labels appropriately/documents volumes/pulls back syringe for final checking.	F Assessed fully competent; No further action		Sep 10, 2024 1:26:10 PM CDT	brianhcs@icloud.com
Spray down components/vials with an appropriate agent prior to placing into PEC.	F Assessed fully competent; No further action		Sep 10, 2024 1:25:09 PM CDT	brianhcs@icloud.com
Allows about 30 seconds after closing both doors before beginning IV admixtures. This allows air filtration to occur and turbulence to diminish.	F Assessed fully competent; No further action		Sep 10, 2024 1:25:39 PM CDT	brianhcs@icloud.com
Inspects final admixture for incompatibilities/cores/particulate matter	F Assessed fully competent; No further action		Sep 10, 2024 1:26:03 PM CDT	brianhcs@icloud.com
Sanitize hands and properly don sterile gloves	F Assessed fully competent; No further action		Sep 10, 2024 1:26:26 PM CDT	brianhcs@icloud.com
Does not expose critical sites to contact contamination or worse than ISO Class 5 air.	F Assessed fully competent; No further action		Sep 10, 2024 1:25:34 PM CDT	brianhcs@icloud.com
Disinfects sterile gloves routinely by wiping with sterile 70% IPA during prolonged compounding manipulations.	F Assessed fully competent; No further action		Sep 10, 2024 1:25:57 PM CDT	brianhcs@icloud.com
Select and appropriately don protective garb	F Assessed fully competent; No further action		Sep 10, 2024 1:26:19 PM CDT	brianhcs@icloud.com
Ensures syringes/needles/tubing remain in their individual packaging and are only opened in ISO Class 5 work area	F Assessed fully competent; No further action		Sep 10, 2024 1:25:28 PM CDT	brianhcs@icloud.com
Punctures vial stoppers and spikes infusion ports without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 1:25:52 PM CDT	brianhcs@icloud.com
Correctly performs and documents appropriate PEC unit cleaning and sanitizing techniques.	F Assessed fully competent; No further action		Sep 10, 2024 1:26:13 PM CDT	brianhcs@icloud.com
Introduces only essential materials in a proper arrangement in the ISO Class 5 work area.	F Assessed fully competent; No further action		Sep 10, 2024 1:25:11 PM CDT	brianhcs@icloud.com
Disinfects stoppers/injection ports/ampul necks by wiping with sterile 70% IPA and allows sufficient time to dry.	F Assessed fully competent; No further action		Sep 10, 2024 1:25:42 PM CDT	brianhcs@icloud.com
Spills/drips/aerosolizations are minimized	F Assessed fully competent; No further action		Sep 10, 2024 1:26:07 PM CDT	brianhcs@icloud.com
Places all items to be used in the hood before beginning (no labels or papers are to be placed in the hood)	F Assessed fully competent; No further action		Sep 10, 2024 1:25:36 PM CDT	brianhcs@icloud.com
Disposes of sharps and waste according to institutional policy or recognized guidelines.	F Assessed fully competent; No further action		Sep 10, 2024 1:26:00 PM CDT	brianhcs@icloud.com
Identify/measure/weigh ingredients precisely	F Assessed fully competent; No further action		Sep 10, 2024 1:26:22 PM CDT	brianhcs@icloud.com
Performs manipulations only in the appropriate area of the ISO Class 5 device.	F Assessed fully competent; No further action		Sep 10, 2024 1:25:31 PM CDT	brianhcs@icloud.com



Aseptic Technique Observation

Status / Answer	Total
F Assessed fully competent; No further action	22
P Partially compliant; needs additional development	0
N Non-compliant	0
NA Not Applicable	0

Location	Department	Task List
Geary Community Hospital	Pharmacy	Aseptic Technique - Process Safety and Quality Assurance Practices Ashley Wagers 6

Task Name	Status / Answer	Comments	Answer Date and Time	Submitted By
Sanitize hands and properly don sterile gloves	F Assessed fully competent; No further action		Sep 10, 2024 8:49:03 AM CDT	brianhcs@icloud.com
Does not expose critical sites to contact contamination or worse than ISO Class 5 air.	F Assessed fully competent; No further action		Sep 10, 2024 8:48:10 AM CDT	brianhcs@icloud.com
Disinfects sterile gloves routinely by wiping with sterile 70% IPA during prolonged compounding manipulations.	F Assessed fully competent; No further action		Sep 10, 2024 8:48:33 AM CDT	brianhcs@icloud.com
Select and appropriately don protective garb	F Assessed fully competent; No further action		Sep 10, 2024 8:48:56 AM CDT	brianhcs@icloud.com
Ensures syringes/needles/tubing remain in their individual packaging and are only opened in ISO Class 5 work area	F Assessed fully competent; No further action		Sep 10, 2024 8:48:05 AM CDT	brianhcs@icloud.com
Punctures vial stoppers and spikes infusion ports without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 8:48:27 AM CDT	brianhcs@icloud.com
Correctly performs and documents appropriate PEC unit cleaning and sanitizing techniques.	F Assessed fully competent; No further action		Sep 10, 2024 8:48:49 AM CDT	brianhcs@icloud.com
Introduces only essential materials in a proper arrangement in the ISO Class 5 work area.	F Assessed fully competent; No further action		Sep 10, 2024 8:47:58 AM CDT	brianhcs@icloud.com
Disinfects stoppers/injection ports/ampul necks by wiping with sterile 70% IPA and allows sufficient time to dry.	F Assessed fully competent; No further action		Sep 10, 2024 8:48:22 AM CDT	brianhcs@icloud.com
Spills/drips/aerosolizations are minimized	F Assessed fully competent; No further action		Sep 10, 2024 8:48:42 AM CDT	brianhcs@icloud.com
Places all items to be used in the hood before beginning (no labels or papers are to be placed in the hood)	F Assessed fully competent; No further action		Sep 10, 2024 8:48:16 AM CDT	brianhcs@icloud.com
Disposes of sharps and waste according to institutional policy or recognized guidelines.	F Assessed fully competent; No further action		Sep 10, 2024 8:48:35 AM CDT	brianhcs@icloud.com
Identify/measure/weigh ingredients precisely	F Assessed fully competent; No further action		Sep 10, 2024 8:48:59 AM CDT	brianhcs@icloud.com
Performs manipulations only in the appropriate area of the ISO Class 5 device.	F Assessed fully competent; No further action		Sep 10, 2024 8:48:08 AM CDT	brianhcs@icloud.com
Does not touch syringe tip/plunger/barrel of the syringe at any time during the IV preparation	F Assessed fully competent; No further action		Sep 10, 2024 8:48:30 AM CDT	brianhcs@icloud.com
Perform aseptic hand cleansing	F Assessed fully competent; No further action		Sep 10, 2024 8:48:53 AM CDT	brianhcs@icloud.com
Does not interrupt/impede/divert flow of first-air to critical sites.	F Assessed fully competent; No further action		Sep 10, 2024 8:48:01 AM CDT	brianhcs@icloud.com
Affixes needles to syringes without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 8:48:24 AM CDT	brianhcs@icloud.com
Labels appropriately/documents volumes/pulls back syringe for final checking.	F Assessed fully competent; No further action		Sep 10, 2024 8:48:46 AM CDT	brianhcs@icloud.com
Spray down components/vials with an appropriate agent prior to placing into PEC.	F Assessed fully competent; No further action		Sep 10, 2024 8:47:51 AM CDT	brianhcs@icloud.com
Allows about 30 seconds after closing both doors before beginning IV admixtures. This allows air filtration to occur and turbulence to diminish.	F Assessed fully competent; No further action		Sep 10, 2024 8:48:19 AM CDT	brianhcs@icloud.com
Inspects final admixture for incompatibilities/cores/particulate matter	F Assessed fully competent; No further action		Sep 10, 2024 8:48:38 AM CDT	brianhcs@icloud.com



Aseptic Technique Observation

Location	Department	Task List
Geary Community Hospital	Pharmacy	Aseptic Technique - Process Safety and Quality Assurance Practices Hannah Shult 7

Status / Answer	Total
F Assessed fully competent; No further action	22
P Partially compliant; needs additional development	0
N Non-compliant	0
NA Not Applicable	0

Task Name	Status / Answer	Comments	Answer Date and Time	Submitted By
Spills/drips/aerosolizations are minimized	F Assessed fully competent; No further action		Sep 10, 2024 12:22:50 PM CDT	brianhcs@icloud.com
Places all items to be used in the hood before beginning (no labels or papers are to be placed in the hood)	F Assessed fully competent; No further action		Sep 10, 2024 12:22:18 PM CDT	brianhcs@icloud.com
Disposes of sharps and waste according to institutional policy or recognized guidelines.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:44 PM CDT	brianhcs@icloud.com
Identify/measure/weigh ingredients precisely	F Assessed fully competent; No further action		Sep 10, 2024 12:23:06 PM CDT	brianhcs@icloud.com
Performs manipulations only in the appropriate area of the ISO Class 5 device.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:13 PM CDT	brianhcs@icloud.com
Does not touch syringe tip/plunger/barrel of the syringe at any time during the IV preparation	F Assessed fully competent; No further action		Sep 10, 2024 12:22:38 PM CDT	brianhcs@icloud.com
Does not interrupt/impede/divert flow of first-air to critical sites.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:06 PM CDT	brianhcs@icloud.com
Perform aseptic hand cleansing	F Assessed fully competent; No further action		Sep 10, 2024 12:23:00 PM CDT	brianhcs@icloud.com
Affixes needles to syringes without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:27 PM CDT	brianhcs@icloud.com
Spray down components/vials with an appropriate agent prior to placing into PEC.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:00 PM CDT	brianhcs@icloud.com
Labels appropriately/documents volumes/pulls back syringe for final checking.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:53 PM CDT	brianhcs@icloud.com
Allows about 30 seconds after closing both doors before beginning IV admixtures. This allows air filtration to occur and turbulence to diminish.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:22 PM CDT	brianhcs@icloud.com
Inspects final admixture for incompatibilities/cores/particulate matter	F Assessed fully competent; No further action		Sep 10, 2024 12:22:47 PM CDT	brianhcs@icloud.com
Sanitize hands and properly don sterile gloves	F Assessed fully competent; No further action		Sep 10, 2024 12:23:09 PM CDT	brianhcs@icloud.com
Does not expose critical sites to contact contamination or worse than ISO Class 5 air.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:15 PM CDT	brianhcs@icloud.com
Disinfects sterile gloves routinely by wiping with sterile 70% IPA during prolonged compounding manipulations.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:40 PM CDT	brianhcs@icloud.com
Select and appropriately don protective garb	F Assessed fully competent; No further action		Sep 10, 2024 12:23:03 PM CDT	brianhcs@icloud.com
Ensures syringes/needles/tubing remain in their individual packaging and are only opened in ISO Class 5 work area	F Assessed fully competent; No further action		Sep 10, 2024 12:22:08 PM CDT	brianhcs@icloud.com
Punctures vial stoppers and spikes infusion ports without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:34 PM CDT	brianhcs@icloud.com
Introduces only essential materials in a proper arrangement in the ISO Class 5 work area.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:03 PM CDT	brianhcs@icloud.com
Correctly performs and documents appropriate PEC unit cleaning and sanitizing techniques.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:57 PM CDT	brianhcs@icloud.com
Disinfects stoppers/injection ports/ampul necks by wiping with sterile 70% IPA and allows sufficient time to dry.	F Assessed fully competent; No further action		Sep 10, 2024 12:22:24 PM CDT	brianhcs@icloud.com



Aseptic Technique Observation

Status / Answer	Total
F Assessed fully competent; No further action	22
P Partially compliant; needs additional development	0
N Non-compliant	0
NA Not Applicable	0

Location	Department	Task List
Geary Community Hospital	Pharmacy	Aseptic Technique - Process Safety and Quality Assurance Practices Hunter Gorsage 5

Task Name	Status / Answer	Comments	Answer Date and Time	Submitted By
Performs manipulations only in the appropriate area of the ISO Class 5 device.	F Assessed fully competent; No further action		Sep 10, 2024 9:38:30 AM CDT	brianhcs@icloud.com
Identify/measure/weigh ingredients precisely	F Assessed fully competent; No further action		Sep 10, 2024 9:39:15 AM CDT	brianhcs@icloud.com
Spray down components/vials with an appropriate agent prior to placing into PEC.	F Assessed fully competent; No further action		Sep 10, 2024 9:38:19 AM CDT	brianhcs@icloud.com
Does not touch syringe tip/plunger/barrel of the syringe at any time during the IV preparation	F Assessed fully competent; No further action		Sep 10, 2024 9:38:49 AM CDT	brianhcs@icloud.com
Does not interrupt/impede/divert flow of first-air to critical sites.	F Assessed fully competent; No further action		Sep 10, 2024 9:38:24 AM CDT	brianhcs@icloud.com
Perform aseptic hand cleansing	F Assessed fully competent; No further action		Sep 10, 2024 9:39:09 AM CDT	brianhcs@icloud.com
Affixes needles to syringes without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 9:38:43 AM CDT	brianhcs@icloud.com
Labels appropriately/documents volumes/pulls back syringe for final checking.	F Assessed fully competent; No further action		Sep 10, 2024 9:39:03 AM CDT	brianhcs@icloud.com
Allows about 30 seconds after closing both doors before beginning IV admixtures. This allows air filtration to occur and turbulence to diminish.	F Assessed fully competent; No further action		Sep 10, 2024 9:38:38 AM CDT	brianhcs@icloud.com
Inspects final admixture for incompatibilities/cores/particulate matter	F Assessed fully competent; No further action		Sep 10, 2024 9:38:57 AM CDT	brianhcs@icloud.com
Does not expose critical sites to contact contamination or worse than ISO Class 5 air.	F Assessed fully competent; No further action		Sep 10, 2024 9:38:33 AM CDT	brianhcs@icloud.com
Sanitize hands and properly don sterile gloves	F Assessed fully competent; No further action		Sep 10, 2024 9:39:18 AM CDT	brianhcs@icloud.com
Introduces only essential materials in a proper arrangement in the ISO Class 5 work area.	F Assessed fully competent; No further action		Sep 10, 2024 9:38:22 AM CDT	brianhcs@icloud.com
Disinfects sterile gloves routinely by wiping with sterile 70% IPA during prolonged compounding manipulations.	F Assessed fully competent; No further action		Sep 10, 2024 9:38:52 AM CDT	brianhcs@icloud.com
Ensures syringes/needles/tubing remain in their individual packaging and are only opened in ISO Class 5 work area	F Assessed fully competent; No further action		Sep 10, 2024 9:38:27 AM CDT	brianhcs@icloud.com
Select and appropriately don protective garb	F Assessed fully competent; No further action		Sep 10, 2024 9:39:12 AM CDT	brianhcs@icloud.com
Punctures vial stoppers and spikes infusion ports without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 9:38:45 AM CDT	brianhcs@icloud.com
Correctly performs and documents appropriate PEC unit cleaning and sanitizing techniques.	F Assessed fully competent; No further action		Sep 10, 2024 9:39:06 AM CDT	brianhcs@icloud.com
Disinfects stoppers/injection ports/ampul necks by wiping with sterile 70% IPA and allows sufficient time to dry.	F Assessed fully competent; No further action		Sep 10, 2024 9:38:40 AM CDT	brianhcs@icloud.com
Spills/drips/aerosolizations are minimized	F Assessed fully competent; No further action		Sep 10, 2024 9:39:00 AM CDT	brianhcs@icloud.com
Places all items to be used in the hood before beginning (no labels or papers are to be placed in the hood)	F Assessed fully competent; No further action		Sep 10, 2024 9:38:35 AM CDT	brianhcs@icloud.com
Disposes of sharps and waste according to institutional policy or recognized guidelines.	F Assessed fully competent; No further action		Sep 10, 2024 9:38:54 AM CDT	brianhcs@icloud.com



Aseptic Technique Observation

Location	Department	Task List
Geary Community Hospital	Pharmacy	Aseptic Technique - Process Safety and Quality Assurance Practices John Stavropoulos 1

Status / Answer	Total
F Assessed fully competent; No further action	20
P Partially compliant; needs additional development	2
N Non-compliant	0
NA Not Applicable	0

Task Name	Status / Answer	Comments	Answer Date and Time	Submitted By
Inspects final admixture for incompatibilities/cores/particulate matter	F Assessed fully competent; No further action		Sep 10, 2024 9:02:39 AM CDT	brianhcs@icloud.com
Does not expose critical sites to contact contamination or worse than ISO Class 5 air.	F Assessed fully competent; No further action		Sep 10, 2024 9:01:34 AM CDT	brianhcs@icloud.com
Sanitize hands and properly don sterile gloves	P Partially compliant; needs additional development	Must not touch fingers of sterile gloves with non-sterile sleeve gloves	Sep 10, 2024 9:10:02 AM CDT	brianhcs@icloud.com
Disinfects sterile gloves routinely by wiping with sterile 70% IPA during prolonged compounding manipulations.	F Assessed fully competent; No further action		Sep 10, 2024 9:02:33 AM CDT	brianhcs@icloud.com
Ensures syringes/needles/tubing remain in their individual packaging and are only opened in ISO Class 5 work area	F Assessed fully competent; No further action		Sep 10, 2024 9:01:28 AM CDT	brianhcs@icloud.com
Select and appropriately don protective garb	F Assessed fully competent; No further action		Sep 10, 2024 9:02:55 AM CDT	brianhcs@icloud.com
Punctures vial stoppers and spikes infusion ports without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 9:02:28 AM CDT	brianhcs@icloud.com
Introduces only essential materials in a proper arrangement in the ISO Class 5 work area.	F Assessed fully competent; No further action		Sep 10, 2024 9:01:23 AM CDT	brianhcs@icloud.com
Correctly performs and documents appropriate PEC unit cleaning and sanitizing techniques.	F Assessed fully competent; No further action		Sep 10, 2024 9:02:48 AM CDT	brianhcs@icloud.com
Disinfects stoppers/injection ports/ampul necks by wiping with sterile 70% IPA and allows sufficient time to dry.	F Assessed fully competent; No further action		Sep 10, 2024 9:01:51 AM CDT	brianhcs@icloud.com
Spills/drips/aerosolizations are minimized	F Assessed fully competent; No further action		Sep 10, 2024 9:02:42 AM CDT	brianhcs@icloud.com
Places all items to be used in the hood before beginning (no labels or papers are to be placed in the hood)	F Assessed fully competent; No further action		Sep 10, 2024 9:01:39 AM CDT	brianhcs@icloud.com
Disposes of sharps and waste according to institutional policy or recognized guidelines.	F Assessed fully competent; No further action		Sep 10, 2024 9:02:36 AM CDT	brianhcs@icloud.com
Performs manipulations only in the appropriate area of the ISO Class 5 device.	F Assessed fully competent; No further action		Sep 10, 2024 9:01:31 AM CDT	brianhcs@icloud.com
Identify/measure/weigh ingredients precisely	F Assessed fully competent; No further action		Sep 10, 2024 9:03:00 AM CDT	brianhcs@icloud.com
Does not touch syringe tip/plunger/barrel of the syringe at any time during the IV preparation	F Assessed fully competent; No further action		Sep 10, 2024 9:02:31 AM CDT	brianhcs@icloud.com
Does not interrupt/impede/divert flow of first-air to critical sites.	F Assessed fully competent; No further action		Sep 10, 2024 9:01:26 AM CDT	brianhcs@icloud.com
Perform aseptic hand cleansing	P Partially compliant; needs additional development	Must use nail pick and wash for at least 30 seconds	Sep 10, 2024 9:40:40 AM CDT	brianhcs@icloud.com
Affixes needles to syringes without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 9:01:54 AM CDT	brianhcs@icloud.com
Labels appropriately/documents volumes/pulls back syringe for final checking.	F Assessed fully competent; No further action		Sep 10, 2024 9:02:45 AM CDT	brianhcs@icloud.com
Spray down components/vials with an appropriate agent prior to placing into PEC.	F Assessed fully competent; No further action		Sep 10, 2024 9:01:21 AM CDT	brianhcs@icloud.com
Allows about 30 seconds after closing both doors before beginning IV admixtures. This allows air filtration to occur and turbulence to diminish.	F Assessed fully competent; No further action		Sep 10, 2024 9:01:41 AM CDT	brianhcs@icloud.com



Aseptic Technique Observation

Status / Answer	Total
F Assessed fully competent; No further action	22
P Partially compliant; needs additional development	0
N Non-compliant	0
NA Not Applicable	0

Location	Department	Task List
Geary Community Hospital	Pharmacy	Aseptic Technique - Process Safety and Quality Assurance Practices Julian Sepulveda 3

Task Name	Status / Answer	Comments	Answer Date and Time	Submitted By
Disinfect stoppers/injection ports/ampul necks by wiping with sterile 70% IPA and allows sufficient time to dry.	F Assessed fully competent; No further action		Sep 10, 2024 12:00:51 PM CDT	brianhcs@icloud.com
Spills/drips/aerosolizations are minimized	F Assessed fully competent; No further action		Sep 10, 2024 12:01:11 PM CDT	brianhcs@icloud.com
Places all items to be used in the hood before beginning (no labels or papers are to be placed in the hood)	F Assessed fully competent; No further action		Sep 10, 2024 12:00:46 PM CDT	brianhcs@icloud.com
Disposes of sharps and waste according to institutional policy or recognized guidelines.	F Assessed fully competent; No further action		Sep 10, 2024 12:01:05 PM CDT	brianhcs@icloud.com
Identify/measure/weigh ingredients precisely	F Assessed fully competent; No further action		Sep 10, 2024 12:01:26 PM CDT	brianhcs@icloud.com
Performs manipulations only in the appropriate area of the ISO Class 5 device.	F Assessed fully competent; No further action		Sep 10, 2024 12:00:40 PM CDT	brianhcs@icloud.com
Does not touch syringe tip/plunger/barrel of the syringe at any time during the IV preparation	F Assessed fully competent; No further action		Sep 10, 2024 12:00:59 PM CDT	brianhcs@icloud.com
Perform aseptic hand cleansing	F Assessed fully competent; No further action		Sep 10, 2024 12:01:20 PM CDT	brianhcs@icloud.com
Does not interrupt/impede/divert flow of first-air to critical sites.	F Assessed fully competent; No further action		Sep 10, 2024 12:00:35 PM CDT	brianhcs@icloud.com
Affixes needles to syringes without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 12:00:54 PM CDT	brianhcs@icloud.com
Labels appropriately/documents volumes/pulls back syringe for final checking.	F Assessed fully competent; No further action		Sep 10, 2024 12:01:14 PM CDT	brianhcs@icloud.com
Spray down components/vials with an appropriate agent prior to placing into PEC.	F Assessed fully competent; No further action		Sep 10, 2024 12:00:19 PM CDT	brianhcs@icloud.com
Allows about 30 seconds after closing both doors before beginning IV admixtures. This allows air filtration to occur and turbulence to diminish.	F Assessed fully competent; No further action		Sep 10, 2024 12:00:49 PM CDT	brianhcs@icloud.com
Inspects final admixture for incompatibilities/cores/particulate matter	F Assessed fully competent; No further action		Sep 10, 2024 12:01:08 PM CDT	brianhcs@icloud.com
Sanitize hands and properly don sterile gloves	F Assessed fully competent; No further action		Sep 10, 2024 12:01:29 PM CDT	brianhcs@icloud.com
Does not expose critical sites to contact contamination or worse than ISO Class 5 air.	F Assessed fully competent; No further action		Sep 10, 2024 12:00:43 PM CDT	brianhcs@icloud.com
Disinfects sterile gloves routinely by wiping with sterile 70% IPA during prolonged compounding manipulations.	F Assessed fully competent; No further action		Sep 10, 2024 12:01:02 PM CDT	brianhcs@icloud.com
Select and appropriately don protective garb	F Assessed fully competent; No further action		Sep 10, 2024 12:01:23 PM CDT	brianhcs@icloud.com
Ensures syringes/needles/tubing remain in their individual packaging and are only opened in ISO Class 5 work area	F Assessed fully competent; No further action		Sep 10, 2024 12:00:38 PM CDT	brianhcs@icloud.com
Punctures vial stoppers and spikes infusion ports without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 12:00:57 PM CDT	brianhcs@icloud.com
Correctly performs and documents appropriate PEC unit cleaning and sanitizing techniques.	F Assessed fully competent; No further action		Sep 10, 2024 12:01:17 PM CDT	brianhcs@icloud.com
Introduces only essential materials in a proper arrangement in the ISO Class 5 work area.	F Assessed fully competent; No further action		Sep 10, 2024 12:00:32 PM CDT	brianhcs@icloud.com



Aseptic Technique Observation

Location	Department	Task List
Geary Community Hospital	Pharmacy	Aseptic Technique - Process Safety and Quality Assurance Practices Ngoc Tam Spencer 2

Status / Answer	Total
F Assessed fully competent; No further action	22
P Partially compliant; needs additional development	0
N Non-compliant	0
NA Not Applicable	0

Task Name	Status / Answer	Comments	Answer Date and Time	Submitted By
Perform aseptic hand cleansing	F Assessed fully competent; No further action		Sep 10, 2024 10:29:48 AM CDT	brianhcs@icloud.com
Does not interrupt/impede/divert flow of first-air to critical sites.	F Assessed fully competent; No further action		Sep 10, 2024 10:21:40 AM CDT	brianhcs@icloud.com
Affixes needles to syringes without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 10:22:01 AM CDT	brianhcs@icloud.com
Labels appropriately/documents volumes/pulls back syringe for final checking.	F Assessed fully competent; No further action		Sep 10, 2024 10:29:41 AM CDT	brianhcs@icloud.com
Spray down components/vials with an appropriate agent prior to placing into PEC.	F Assessed fully competent; No further action		Sep 10, 2024 10:21:23 AM CDT	brianhcs@icloud.com
Allows about 30 seconds after closing both doors before beginning IV admixtures. This allows air filtration to occur and turbulence to diminish.	F Assessed fully competent; No further action		Sep 10, 2024 10:21:55 AM CDT	brianhcs@icloud.com
Inspects final admixture for incompatibilities/cores/particulate matter	F Assessed fully competent; No further action		Sep 10, 2024 10:22:22 AM CDT	brianhcs@icloud.com
Sanitize hands and properly don sterile gloves	F Assessed fully competent; No further action		Sep 10, 2024 10:29:57 AM CDT	brianhcs@icloud.com
Does not expose critical sites to contact contamination or worse than ISO Class 5 air.	F Assessed fully competent; No further action		Sep 10, 2024 10:21:50 AM CDT	brianhcs@icloud.com
Disinfects sterile gloves routinely by wiping with sterile 70% IPA during prolonged compounding manipulations.	F Assessed fully competent; No further action		Sep 10, 2024 10:22:11 AM CDT	brianhcs@icloud.com
Select and appropriately don protective garb	F Assessed fully competent; No further action		Sep 10, 2024 10:29:51 AM CDT	brianhcs@icloud.com
Ensures syringes/needles/tubing remain in their individual packaging and are only opened in ISO Class 5 work area	F Assessed fully competent; No further action		Sep 10, 2024 10:21:43 AM CDT	brianhcs@icloud.com
Punctures vial stoppers and spikes infusion ports without contact contamination.	F Assessed fully competent; No further action		Sep 10, 2024 10:22:05 AM CDT	brianhcs@icloud.com
Correctly performs and documents appropriate PEC unit cleaning and sanitizing techniques.	F Assessed fully competent; No further action		Sep 10, 2024 10:29:45 AM CDT	brianhcs@icloud.com
Introduces only essential materials in a proper arrangement in the ISO Class 5 work area.	F Assessed fully competent; No further action		Sep 10, 2024 10:21:37 AM CDT	brianhcs@icloud.com
Disinfects stoppers/injection ports/ampul necks by wiping with sterile 70% IPA and allows sufficient time to dry.	F Assessed fully competent; No further action		Sep 10, 2024 10:21:58 AM CDT	brianhcs@icloud.com
Spills/drips/aerosolizations are minimized	F Assessed fully competent; No further action		Sep 10, 2024 10:29:38 AM CDT	brianhcs@icloud.com
Places all items to be used in the hood before beginning (no labels or papers are to be placed in the hood)	F Assessed fully competent; No further action		Sep 10, 2024 10:21:53 AM CDT	brianhcs@icloud.com
Disposes of sharps and waste according to institutional policy or recognized guidelines.	F Assessed fully competent; No further action		Sep 10, 2024 10:22:15 AM CDT	brianhcs@icloud.com
Identify/measure/weigh ingredients precisely	F Assessed fully competent; No further action		Sep 10, 2024 10:29:54 AM CDT	brianhcs@icloud.com
Performs manipulations only in the appropriate area of the ISO Class 5 device.	F Assessed fully competent; No further action		Sep 10, 2024 10:21:46 AM CDT	brianhcs@icloud.com
Does not touch syringe tip/plunger/barrel of the syringe at any time during the IV preparation	F Assessed fully competent; No further action		Sep 10, 2024 10:22:09 AM CDT	brianhcs@icloud.com